


GF iFIT PE-RT pipe 16-2.0 100m

1151094

- Description: Coil
- Material: PE-RT/AL/PE-RT (white)
- PN 16 at 20°C



About GF iFIT PE-RT pipe

Specification

- The iFIT system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification for environmental and process safety. The iFIT system meets the requirements for the most important applications in the building technology and is subject to constant monitoring by the licensing offices for drinking water and heating installations on land and sea.

Application

- Application area Cold and hot water, HVAC, greywater
-
- Installation Surface and flush-mounted pipes, pipe-in-pipe technology

Certification

- SVGW
- DVGW
- ÖVGW

GF iFIT PE-RT pipe 16-2.0 100m

1151094



Product code

Item no EAN	7611205886400
Item no GF	762101000
Item no GTIN	07611205886400
Item no LVI	1749393
Item no RSK	1874500

Dimensions

Item Unit Height	16
Item Unit Length	1000
Item Unit Weight	0,119
Item Unit Width	16
Item_UOM	m

Packaging

Packaging GTIN PL1	06414900132107
Packaging GTIN PL4	06414900132114
Packaging Height PL1	200
Packaging Height PL4	1800
Packaging Length PL1	800
Packaging Length PL4	1200
Packaging Quantity PL1	100
Packaging Quantity PL4	1500
Packaging Type PL1	Piece
Packaging Type PL4	Pallet
Packaging Volume PL1	0,128
Packaging Volume PL4	1,728
Packaging Weight PL1	12
Packaging Weight PL4	191
Packaging Width PL1	800

Packaging Width PL4

800

Measurements

Wall thickness_s

2,0

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb