


GF iFIT PE-RT pipe 20-2.0 50m

1151095

- Description: Coil
- Material: PE-RT/AL/PE-RT (white)
- PN 16 at 20°C



About GF iFIT PE-RT pipe

Specification

- The iFIT system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification for environmental and process safety. The iFIT system meets the requirements for the most important applications in the building technology and is subject to constant monitoring by the licensing offices for drinking water and heating installations on land and sea.

Application


- Application area Cold and hot water, HVAC, greywater
-
- Installation Surface and flush-mounted pipes, pipe-in-pipe technology

Certification

- SVGW
- DVGW
- ÖVGW

GF iFIT PE-RT pipe 20-2.0 50m

1151095



Product code

Item no EAN	7611205886417
Item no GF	762101001
Item no GTIN	07611205886417
Item no LVI	1749394
Item no RSK	1874501

Dimensions

Item Unit Height	20
Item Unit Length	1000
Item Unit Weight	0,154
Item Unit Width	30
Item_UOM	m

Packaging

Packaging GTIN PL1	06414900132084
Packaging GTIN PL2	06414900564281
Packaging GTIN PL4	06414900132091
Packaging Height PL1	810
Packaging Height PL2	810
Packaging Height PL4	1750
Packaging Length PL1	800
Packaging Length PL2	800
Packaging Length PL4	1200
Packaging Quantity PL1	50
Packaging Quantity PL2	50
Packaging Quantity PL4	750
Packaging Type PL1	Piece
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet

Packaging Volume PL1	0,10368
Packaging Volume PL2	0,10368
Packaging Volume PL4	1,68
Packaging Weight PL1	7,7
Packaging Weight PL2	8,73
Packaging Weight PL4	155,95
Packaging Width PL1	160
Packaging Width PL2	160
Packaging Width PL4	800

Measurements

Wall thickness_s	2,0
------------------	-----

Technical documents

[Download documents here](#)

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb