



GF iFIT pipe 16-2.0 5m

1151098

- Description: in bars
- Material: PE-RT/AL/PE-RT (white)
- PN 16 at 20°C



About GF iFIT pipe

Specification

- The iFIT system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification for environmental and process safety. The iFIT system meets the requirements for the most important applications in the building technology and is subject to constant monitoring by the licensing offices for drinking water and heating installations on land and sea.

Application


- Application area Cold and hot water, HVAC, greywater
-
- Installation Surface and flush-mounted pipes, pipe-in-pipe technology

Certification

- SVGW
- DVGW
- ÖVGW

GF iFIT pipe 16-2.0 5m

1151098



Product code

Item no EAN	7611205886462
Item no GF	762101005
Item no GTIN	07611205886462
Item no LVI	2075340
Item no RSK	1874506

Dimensions

Item Unit Height	16
Item Unit Length	1000
Item Unit Weight	0,118
Item Unit Width	16
Item_UOM	m

Packaging

Packaging GTIN PL1	06414900191258
Packaging GTIN PL2	06414900191265
Packaging GTIN PL4	06414900208796
Packaging Height PL1	16
Packaging Height PL2	110
Packaging Height PL4	880
Packaging Length PL1	5000
Packaging Length PL2	5000
Packaging Length PL4	5900
Packaging Quantity PL1	5
Packaging Quantity PL2	45
Packaging Quantity PL4	3060
Packaging Type PL1	Piece
Packaging Type PL2	Medium_Box
Packaging Type PL4	Wooden_Cage

Packaging Volume PL1	0,00128
Packaging Volume PL2	0,0605
Packaging Volume PL4	3,73824
Packaging Weight PL1	0,59
Packaging Weight PL2	7,81
Packaging Weight PL4	781,08
Packaging Width PL1	16
Packaging Width PL2	110
Packaging Width PL4	720

Measurements

Wall thickness_s	2,0
------------------	-----

Technical documents

[Download documents here](#)

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E
customerservice.uk.bfs@georgfi
scher.com