


GF iFIT reduction 16/20-25/32

1151155

- Material: PPSU
- PN 16 at 20°C



About GF iFIT reduction

Specification

- The iFIT system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification for environmental and process safety. The iFIT system meets the requirements for the most important applications in the building technology and is subject to constant monitoring by the licensing offices for drinking water and heating installations on land and sea.

Application


- Application area Cold and hot water, HVAC, greywater
-
- Installation Surface and flush-mounted pipes, pipe-in-pipe technology

Certification

- SVGW
- DVGW
- ÖVGW

GF iFIT reduction 16/20-25/32

1151155



Measurements

Inner_diameter_di	25 - 32
LENGTH_L	52
Z Measurement d2	16 - 20
Z Measurement h1	32
Z Measurement h2	20

Product code

Item no EAN	7611205891961
Item no GF	762101177
Item no GTIN	07611205891961
Item no LVI	1749405
Item no RSK	1878646

Dimensions

Item Unit Height	28
Item Unit Length	50
Item Unit Weight	0,018
Item Unit Width	28
Item_UOM	pce

Packaging

Packaging GTIN PL1	07611205909413
Packaging GTIN PL2	06414900196024
Packaging GTIN PL4	06414900196031
Packaging Height PL1	39
Packaging Height PL2	225
Packaging Height PL4	800
Packaging Length PL1	143
Packaging Length PL2	410
Packaging Length PL4	1200

Packaging Quantity PL1	2
Packaging Quantity PL2	150
Packaging Quantity PL4	6750
Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000228657
Packaging Volume PL2	0,02444625
Packaging Volume PL4	0,768
Packaging Weight PL1	0,039
Packaging Weight PL2	3,025
Packaging Weight PL4	156,125
Packaging Width PL1	41
Packaging Width PL2	265
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb