


GF iFIT adapter 16/20-12

1151228

- Material: brass
- PN 16 at 20°C



About GF iFIT adapter

Specification

- The iFIT system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification for environmental and process safety. The iFIT system meets the requirements for the most important applications in the building technology and is subject to constant monitoring by the licensing offices for drinking water and heating installations on land and sea.

Application


- Application area Cold and hot water, HVAC, greywater
-
- Installation Surface and flush-mounted pipes, pipe-in-pipe technology

Certification

- SVGW
- DVGW
- ÖVGW

GF iFIT adapter 16/20-12

1151228



Measurements

Inner_diameter_di	16 - 20
Z Measurement d1	16 - 20
Z Measurement d2	12
Z	19

Status

Item Available Till date	2026-12-15T00:00:00.000+0100
Until stocks last	Until stocks last

Product code

Item no EAN	7611205902919
Item no GF	762101292
Item no GTIN	07611205902919
Item Replacement 1	1185835

Dimensions

Item Unit Height	25
Item Unit Length	42
Item Unit Weight	0,05
Item Unit Width	25
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900062435
Packaging Height PL1	50
Packaging Length PL1	120
Packaging Quantity PL1	10
Packaging Type PL1	Plastic_Bag
Packaging Volume PL1	0,00054
Packaging Weight PL1	0,542
Packaging Width PL1	90

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212

E
customerservice.uk.bfs@georgfi
scher.com