


GF iFIT pipe insulated S6 25-2,5 25m 6mm

1151245

- Description: in coils
- Material: PE-RT/AL/PE-RT (white)
- Insulation: W/mK 0.035
- PN 16 at 20°C



About GF iFIT pipe insulated S6

Specification

- The iFIT system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification for environmental and process safety. The iFIT system meets the requirements for the most important applications in the building technology and is subject to constant monitoring by the licensing offices for drinking water and heating installations on land and sea.

Application


- Application area Cold and hot water, HVAC, greywater
-
- Installation Surface and flush-mounted pipes, pipe-in-pipe technology

Certification

- SVGW
- DVGW
- ÖVGW

GF iFIT pipe insulated S6 25-2,5 25m 6mm

1151245



Measurements

| | |
|-------------------|----|
| Inner_diameter_di | 37 |
| Wall thickness_s1 | 6 |

Product code

| | |
|--------------|----------------|
| Item no EAN | 7611205905644 |
| Item no GF | 762101314 |
| Item no GTIN | 07611205905644 |

Dimensions

| | |
|------------------|------|
| Item Unit Height | 43 |
| Item Unit Length | 1000 |
| Item Unit Weight | 0,15 |
| Item Unit Width | 43 |
| Item_UOM | m |

Packaging

| | |
|------------------------|----------------|
| Packaging GTIN PL1 | 06414900225977 |
| Packaging GTIN PL2 | 07611205912130 |
| Packaging GTIN PL4 | 07611205908010 |
| Packaging Height PL1 | 220 |
| Packaging Height PL2 | 780 |
| Packaging Height PL4 | 1800 |
| Packaging Length PL1 | 750 |
| Packaging Length PL2 | 790 |
| Packaging Length PL4 | 1200 |
| Packaging Quantity PL1 | 25 |
| Packaging Quantity PL2 | 25 |
| Packaging Quantity PL4 | 300 |
| Packaging Type PL1 | Piece |
| Packaging Type PL2 | Medium_Box |

| | |
|----------------------|----------|
| Packaging Type PL4 | Pallet |
| Packaging Volume PL1 | 0,12375 |
| Packaging Volume PL2 | 0,117078 |
| Packaging Volume PL4 | 1,728 |
| Packaging Weight PL1 | 3,76 |
| Packaging Weight PL2 | 3,86 |
| Packaging Weight PL4 | 71,32 |
| Packaging Width PL1 | 750 |
| Packaging Width PL2 | 190 |
| Packaging Width PL4 | 800 |

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb