


GF iFIT cap white PPSU 16

1151296

- Material: PPSU
- PN 16 at 20°C



About GF iFIT cap white PPSU

Specification

- The iFIT system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification for environmental and process safety. The iFIT system meets the requirements for the most important applications in the building technology and is subject to constant monitoring by the licensing offices for drinking water and heating installations on land and sea.

Application


- Application area Cold and hot water, HVAC, greywater
-
- Installation Surface and flush-mounted pipes, pipe-in-pipe technology

Certification

- SVGW
- DVGW
- ÖVGW

GF iFIT cap white PPSU 16

1151296

**Measurements**

Inner_diameter_di	16
Z Measurement d	16
Z Measurement d1	16
Z Measurement h	36

Product code

Item no EAN	7611205912987
Item no GF	762101382
Item no GTIN	07611205912987

Dimensions

Item Unit Height	16
Item Unit Length	34
Item Unit Weight	0,004
Item Unit Width	16
Item_UOM	pce

Packaging

Packaging GTIN PL1	07611205912994
Packaging GTIN PL2	06414900195768
Packaging GTIN PL4	06414900195775
Packaging Height PL1	28
Packaging Height PL2	225
Packaging Height PL4	340
Packaging Length PL1	107
Packaging Length PL2	410
Packaging Length PL4	1200
Packaging Quantity PL1	5
Packaging Quantity PL2	500
Packaging Quantity PL4	18000

Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000152796
Packaging Volume PL2	0,02444625
Packaging Volume PL4	0,3264
Packaging Weight PL1	0,0218467205661308
Packaging Weight PL2	2,49593327171088
Packaging Weight PL4	114,853597781592
Packaging Width PL1	51
Packaging Width PL2	265
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E
customerservice.uk.bfs@georgfi
scher.com