


GF iFIT pipe outlet module PPSU 90° white 25/32

1151299

- Material: PPSU
- PN 16 at 20°C



About GF iFIT pipe outlet module PPSU 90° white

Specification

- The iFIT system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification for environmental and process safety. The iFIT system meets the requirements for the most important applications in the building technology and is subject to constant monitoring
- by the licensing offices for drinking water and heating installations on land and sea.

Application


- Application area Cold and hot water, HVAC, greywater
-
- Installation Surface and flush-mounted pipes, pipe-in-pipe technology

Certification

- SVGW
- DVGW
- ÖVGW

GF iFIT pipe outlet module PPSU 90° white 25/32

1151299



Measurements

Inner_diameter_di	25
Z Measurement h	54
Z Measurement h1	46

Product code

Item no EAN	7611205913045
Item no GF	762101385
Item no GTIN	07611205913045
Item no LVI	1749452

Dimensions

Item Unit Height	69
Item Unit Length	31
Item Unit Weight	0,03
Item Unit Width	61
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900080729
Packaging GTIN PL2	06414900127202
Packaging GTIN PL4	06414900127219
Packaging Height PL1	51
Packaging Height PL2	100
Packaging Height PL4	200
Packaging Length PL1	111
Packaging Length PL2	960
Packaging Length PL4	1200
Packaging Quantity PL1	2
Packaging Quantity PL2	100
Packaging Quantity PL4	3600

Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000418914
Packaging Volume PL2	0,03072
Packaging Volume PL4	0,192
Packaging Weight PL1	0,066
Packaging Weight PL2	4,17
Packaging Weight PL4	175,12
Packaging Width PL1	74
Packaging Width PL2	320
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E
customerservice.uk.bfs@georgfi
scher.com