


GF Instaflex ball valve 546 pro PP DN20

1151583

- For portable water installations, not DVGW approved



About GF Instaflex ball valve 546 pro PP

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex ball valve 546 pro PP DN20

1151583



Product code

Item no EAN	7611205887803
Item no GF	760000338
Item no GTIN	07611205887803

Dimensions

Item Unit Height	100
Item Unit Length	113
Item Unit Weight	0,182
Item Unit Width	56
Item_UOM	pce

Measurements

LENGTH_L	108
Z Measurement d	25
Z	38

Packaging

Packaging GTIN PL1	06414900129954
Packaging GTIN PL2	06414900129961
Packaging GTIN PL4	06414900129978
Packaging Height PL1	67
Packaging Height PL2	219
Packaging Height PL4	880
Packaging Length PL1	149
Packaging Length PL2	347
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	10
Packaging Quantity PL4	510
Packaging Type PL1	Base_Box

Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,001018266
Packaging Volume PL2	0,01215888
Packaging Volume PL4	0,8448
Packaging Weight PL1	0,224
Packaging Weight PL2	2,379
Packaging Weight PL4	136,24
Packaging Width PL1	102
Packaging Width PL2	160
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E
customerservice.uk.bfs@georgfi
scher.com