


GF Instaflex ball valve 546 pro PP DN32

1151585

- For portable water installations, not DVGW approved



About GF Instaflex ball valve 546 pro PP

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex ball valve 546 pro PP DN32

1151585



Product code

Item no EAN	7611205887827
Item no GF	760000340
Item no GTIN	07611205887827

Dimensions

Item Unit Height	140
Item Unit Length	141
Item Unit Weight	0,446
Item Unit Width	84
Item_UOM	pce

Measurements

LENGTH_L	137
Z	47

Packaging

Packaging GTIN PL1	06414900129893
Packaging GTIN PL2	06414900129909
Packaging GTIN PL4	06414900129916
Packaging Height PL1	92
Packaging Height PL2	295
Packaging Height PL4	1105
Packaging Length PL1	175
Packaging Length PL2	289
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	6
Packaging Quantity PL4	288
Packaging Type PL1	Base_Box
Packaging Type PL2	Medium_Box

Packaging Type PL4	Pallet
Packaging Volume PL1	0,002254
Packaging Volume PL2	0,016283705
Packaging Volume PL4	1,0608
Packaging Weight PL1	0,51
Packaging Weight PL2	3,221
Packaging Weight PL4	171,76
Packaging Width PL1	140
Packaging Width PL2	191
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb