


## GF Instaflex ball valve 546 pro PP max. 70deg DN15

**1151588**

- Compressed air 10 bar
- Working temperture max. +70°C
- \* on request



### About GF Instaflex ball valve 546 pro PP max. 70deg

#### Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

#### Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

##### Application areas


- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

#### Certification

- WRAS material approval (BS6920)

## GF Instaflex ball valve 546 pro PP max. 70deg DN15

1151588



### Product code

Item no EAN	7611205887865
Item no GF	760000343
Item no GTIN	07611205887865
Item no LVI	2075342

### Dimensions

Item Unit Height	87
Item Unit Length	189
Item Unit Weight	0,141
Item Unit Width	51
Item_UOM	pce

### Measurements

Length (l2)	190
Z	33

### Packaging

Packaging GTIN PL1	06414900129800
Packaging GTIN PL2	06414900129817
Packaging GTIN PL4	06414900129824
Packaging Height PL1	110
Packaging Height PL2	320
Packaging Height PL4	1000
Packaging Length PL1	200
Packaging Length PL2	335
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	6
Packaging Quantity PL4	144
Packaging Type PL1	Base_Box

Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00341
Packaging Volume PL2	0,02412
Packaging Volume PL4	0,96
Packaging Weight PL1	0,213
Packaging Weight PL2	1,465
Packaging Weight PL4	60,16
Packaging Width PL1	155
Packaging Width PL2	225
Packaging Width PL4	800

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)