


GF Instaflex support carrier galvanised 40x3m

1151697

- Addition: clip
- Ideal for use with Instaflex, Q&E and JRG Sanipex MT
- For diameter $\geq d_{90}$ no pipe support is required



About GF Instaflex support carrier galvanised

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas


- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex support carrier galvanised 40x3m

1151697



Product code

Item no EAN	7611205822460
Item no GF	760854928
Item no GTIN	07611205822460
Item no LVI	2075255
Item no RSK	1874958

Dimensions

Item Unit Height	42
Item Unit Length	1000
Item Unit Weight	0,433
Item Unit Width	42
Item_UOM	m

Measurements

LENGTH_L	3000
----------	------

Packaging

Packaging GTIN PL1	06414900454582
Packaging GTIN PL2	06414900454599
Packaging Height PL1	42
Packaging Height PL2	84
Packaging Length PL1	3000
Packaging Length PL2	3000
Packaging Quantity PL1	3
Packaging Quantity PL2	30
Packaging Type PL1	Piece
Packaging Type PL2	Bag
Packaging Volume PL1	0,005292
Packaging Volume PL2	0,010584
Packaging Weight PL1	1,299

Packaging Weight PL2	13,033
Packaging Width PL1	42
Packaging Width PL2	42

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb