


## GF Instaflex pipe PB coils d25 / 30m

1151700

- \*as long as stock las



### About GF Instaflex pipe PB coils

#### Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

#### Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

##### Application areas


- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

#### Certification

- WRAS material approval (BS6920)

## GF Instaflex pipe PB coils d25 / 30m

1151700



### Product code

Item no EAN	7611205817800
Item no GF	760854946
Item no GTIN	07611205817800
Item no RSK	1874522

### Dimensions

Item Unit Height	30
Item Unit Length	1000
Item Unit Weight	0,165
Item Unit Width	30
Item_UOM	m

### Packaging

Packaging GTIN PL2	06414900564397
Packaging GTIN PL4	06414900133593
Packaging Height PL2	810
Packaging Height PL4	1750
Packaging Length PL2	810
Packaging Length PL4	1200
Packaging Quantity PL2	30
Packaging Quantity PL4	450
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL2	0,170586
Packaging Volume PL4	1,68
Packaging Weight PL2	6,237
Packaging Weight PL4	118,56
Packaging Width PL2	260
Packaging Width PL4	800

## Measurements

Wall thickness_s	2,3
Z Measurement d	25
Z MEASUREMENT S	2,3

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavillion  
WD18 8GA, Watford  
UK

T +44 (0)1923 381212  
E  
customerservice.uk.bfs@georgfi  
scher.com