


GF Instaflex support carrier galvanized 32-3m

1151749

- Addition: clip
- Ideal for use with Instaflex, Q&E and JRG Sanipex MT
- For diameter $\geq d_{90}$ no pipe support is required



About GF Instaflex support carrier galvanized

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas


- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex support carrier galvanized 32-3m

1151749



Product code

Item no EAN	7611205801892
Item no GF	760856605
Item no GTIN	07611205801892
Item no LVI	2022376
Item no RSK	1874957

Dimensions

Item Unit Height	34
Item Unit Length	1000
Item Unit Weight	0,346
Item Unit Width	34
Item_UOM	m

Measurements

LENGTH_L	3000
Z Measurement d	32

Packaging

Packaging GTIN PL1	06414900454728
Packaging GTIN PL2	06414900454735
Packaging Height PL1	34
Packaging Height PL2	68
Packaging Length PL1	3000
Packaging Length PL2	3000
Packaging Quantity PL1	3
Packaging Quantity PL2	30
Packaging Type PL1	Piece
Packaging Type PL2	Bag
Packaging Volume PL1	0,003468
Packaging Volume PL2	0,006936

Packaging Weight PL1	1,038
Packaging Weight PL2	10,48
Packaging Width PL1	34
Packaging Width PL2	34

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212

E
customerservice.uk.bfs@georgfi
scher.com