


GF Instaflex transition FT 20-1/2"

1151775

- Material: Brass UBA listed



About GF Instaflex transition FT

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex transition FT 20-1/2"

1151775



Measurements

Female thread Rp	1/2
Z Measurement d	20
Z	14

Product code

Item no EAN	7611205906016
Item no GF	760857021
Item no GTIN	07611205906016

Dimensions

Item Unit Height	57.3
Item Unit Length	34
Item Unit Weight	0,204
Item Unit Width	40
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900127646
Packaging GTIN PL2	06414900127653
Packaging GTIN PL4	06414900127660
Packaging Height PL1	63
Packaging Height PL2	100
Packaging Height PL4	1000
Packaging Length PL1	148
Packaging Length PL2	260
Packaging Length PL4	1200
Packaging Quantity PL1	5
Packaging Quantity PL2	40
Packaging Quantity PL4	1000
Packaging Type PL1	Plastic_Bag

Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000960372
Packaging Volume PL2	0,00507
Packaging Volume PL4	0,96
Packaging Weight PL1	1,03
Packaging Weight PL2	8,366
Packaging Weight PL4	692
Packaging Width PL1	103
Packaging Width PL2	195
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E
customerservice.uk.bfs@georgfi
scher.com