


GF Instaflex transition FT 20-3/4"

1151776

- Material: Brass UBA listed



About GF Instaflex transition FT

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex transition FT 20-3/4"

1151776



Measurements

Female thread Rp	3/4
Z Measurement d	20
Z	15

Product code

Item no EAN	7611205906047
Item no GF	760857022
Item no GTIN	07611205906047

Dimensions

Item Unit Height	60
Item Unit Length	36
Item Unit Weight	0,174
Item Unit Width	36
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900454803
Packaging GTIN PL2	06414900454810
Packaging Height PL1	50
Packaging Height PL2	95
Packaging Length PL1	150
Packaging Length PL2	265
Packaging Quantity PL1	5
Packaging Quantity PL2	40
Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Medium_Box
Packaging Volume PL1	0,0009225
Packaging Volume PL2	0,004909125
Packaging Weight PL1	0,881

Packaging Weight PL2	7,184
Packaging Width PL1	123
Packaging Width PL2	195

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E
customerservice.uk.bfs@georgfi
scher.com