


GF Instaflex transition MT 16-1/2"

1151786

- Material: Brass UBA listed



About GF Instaflex transition MT

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas


- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex transition MT 16-1/2"

1151786



Product code

Item no EAN	7611205906115
Item no GF	760857032
Item no GTIN	07611205906115
Item no LVI	2075351

Dimensions

Item Unit Height	50
Item Unit Length	30
Item Unit Weight	0,111
Item Unit Width	30
Item_UOM	pce

Measurements

Male_thread_R	1/2
Z Measurement d	16
Z Measurement h	30

Packaging

Packaging GTIN PL1	06414900454841
Packaging GTIN PL2	06414900454858
Packaging Height PL1	53
Packaging Height PL2	100
Packaging Length PL1	169
Packaging Length PL2	260
Packaging Quantity PL1	5
Packaging Quantity PL2	50
Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Medium_Box
Packaging Volume PL1	0,000761345
Packaging Volume PL2	0,00533

Packaging Weight PL1	0,562
Packaging Weight PL2	7,404
Packaging Width PL1	85
Packaging Width PL2	205

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E
customerservice.uk.bfs@georgfi
scher.com