


GF Instaflex transition MT 20-1/2"

1151788

- Material: Brass UBA listed



About GF Instaflex transition MT

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex transition MT 20-1/2"

1151788



Product code

Item no EAN	7611205906139
Item no GF	760857034
Item no GTIN	07611205906139

Dimensions

Item Unit Height	60
Item Unit Length	33
Item Unit Weight	0,148
Item Unit Width	33
Item_UOM	pce

Measurements

Male_thread_R	1/2
Z Measurement d	20
Z Measurement h	38

Packaging

Packaging GTIN PL1	06414900454865
Packaging GTIN PL2	06414900454872
Packaging Height PL1	53
Packaging Height PL2	95
Packaging Length PL1	196
Packaging Length PL2	260
Packaging Quantity PL1	5
Packaging Quantity PL2	35
Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Medium_Box
Packaging Volume PL1	0,000914144
Packaging Volume PL2	0,0048165
Packaging Weight PL1	0,753

Packaging Weight PL2	7,692
Packaging Width PL1	88
Packaging Width PL2	195

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E
customerservice.uk.bfs@georgfi
scher.com