


GF Instaflex transition MT 40-1 1/4"

1151793

- Material: Brass UBA listed



About GF Instaflex transition MT

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas


- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex transition MT 40-1 1/4"

1151793



Product code

Item no EAN	7611205906849
Item no GF	760857039
Item no GTIN	07611205906849

Dimensions

Item Unit Height	59
Item Unit Length	56
Item Unit Weight	0,409
Item Unit Width	57
Item_UOM	pce

Measurements

Male_thread_R	1 1/4
Z Measurement d	40
Z Measurement h	44

Packaging

Packaging GTIN PL1	06414900454902
Packaging GTIN PL2	06414900454919
Packaging Height PL1	60
Packaging Height PL2	150
Packaging Length PL1	60
Packaging Length PL2	150
Packaging Quantity PL1	1
Packaging Quantity PL2	10
Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Bag
Packaging Volume PL1	0,000216
Packaging Volume PL2	0,003375
Packaging Weight PL1	0,41

Packaging Weight PL2	4,15
Packaging Width PL1	60
Packaging Width PL2	150

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212

E
customerservice.uk.bfs@georgfi
scher.com