



GF Instaflex adapter MT 32-1"

1151828

- O-ring, EPDM



About GF Instaflex adapter MT

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas



- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex adapter MT 32-1"

1151828



Product code

Item no EAN	7611205907471
Item no GF	760857158
Item no GTIN	07611205907471

Dimensions

Item Unit Height	64
Item Unit Length	75
Item Unit Weight	0,474
Item Unit Width	64
Item_UOM	pce

Measurements

LENGTH_L	73
Male_thread_R	1
Z Measurement d	32
Z Measurement h	45
Z	8

Packaging

Packaging GTIN PL1	06414900063616
Packaging Height PL1	79
Packaging Length PL1	203
Packaging Quantity PL1	5
Packaging Type PL1	Plastic_Bag
Packaging Volume PL1	0,002213106
Packaging Weight PL1	2,371
Packaging Width PL1	138

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212

E
customerservice.uk.bfs@georgfi
scher.com