



## GF Instaflex adapter MT 40-1 1/4"

1151829

- O-ring, EPDM



### About GF Instaflex adapter MT

#### Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

#### Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

##### Application areas


- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

#### Certification

- WRAS material approval (BS6920)

## GF Instaflex adapter MT 40-1 1/4"

1151829



### Product code

Item no EAN	7611205907563
Item no GF	760857159
Item no GTIN	07611205907563

### Dimensions

Item Unit Height	84
Item Unit Length	79
Item Unit Weight	0,634
Item Unit Width	79
Item_UOM	pce

### Measurements

LENGTH_L	80
Male_thread_R	1 1/4
Z Measurement d	40
Z Measurement h	48
Z	10

### Packaging

Packaging GTIN PL1	06414900063623
Packaging Height PL1	97
Packaging Length PL1	214
Packaging Quantity PL1	5
Packaging Type PL1	Plastic_Bag
Packaging Volume PL1	0,003757198
Packaging Weight PL1	3,207
Packaging Width PL1	181

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavillion  
WD18 8GA, Watford  
UK

T +44 (0)1923 381212

E  
customerservice.uk.bfs@georgfi  
scher.com