



GF Instaflex adapter MT 50-1 1/2"

1151830

- O-ring, EPDM



About GF Instaflex adapter MT

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas


- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex adapter MT 50-1 1/2"

1151830



Product code

| | |
|--------------|----------------|
| Item no EAN | 7611205907570 |
| Item no GF | 760857160 |
| Item no GTIN | 07611205907570 |

Dimensions

| | |
|------------------|-------|
| Item Unit Height | 88 |
| Item Unit Length | 82 |
| Item Unit Weight | 0,719 |
| Item Unit Width | 87 |
| Item_UOM | pce |

Measurements

| | |
|-----------------|-------|
| LENGTH_L | 83 |
| Male_thread_R | 1 1/2 |
| Z Measurement d | 50 |
| Z Measurement h | 48 |
| Z | 10 |

Packaging

| | |
|------------------------|----------------|
| Packaging GTIN PL1 | 06414900063630 |
| Packaging Height PL1 | 92 |
| Packaging Length PL1 | 193 |
| Packaging Quantity PL1 | 2 |
| Packaging Type PL1 | Plastic_Bag |
| Packaging Volume PL1 | 0,001722332 |
| Packaging Weight PL1 | 1,452 |
| Packaging Width PL1 | 97 |

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212

E
customerservice.uk.bfs@georgfi
scher.com