



GF Instaflex adapter FT 16-1/2"

1151832

- O-ring, EPDM



About GF Instaflex adapter FT

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas




- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex adapter FT 16-1/2"

1151832



Measurements

| | |
|------------------|-----|
| Female thread Rp | 1/2 |
| LENGTH_L | 45 |
| Z Measurement d | 16 |
| z1 | 8 |
| Z2 | 9 |

Product code

| | |
|--------------|----------------|
| Item no EAN | 7611205907594 |
| Item no GF | 760857162 |
| Item no GTIN | 07611205907594 |

Dimensions

| | |
|------------------|-------|
| Item Unit Height | 39 |
| Item Unit Length | 46 |
| Item Unit Weight | 0,164 |
| Item Unit Width | 39 |
| Item_UOM | pce |

Packaging

| | |
|------------------------|----------------|
| Packaging GTIN PL1 | 06414900063654 |
| Packaging Height PL1 | 61 |
| Packaging Length PL1 | 224 |
| Packaging Quantity PL1 | 10 |
| Packaging Type PL1 | Plastic_Bag |
| Packaging Volume PL1 | 0,001393728 |
| Packaging Weight PL1 | 1,66 |
| Packaging Width PL1 | 102 |

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212

E
customerservice.uk.bfs@georgfi
scher.com