



GF Instaflex adapter FT 32-1"

1151835

- O-ring, EPDM



About GF Instaflex adapter FT

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification for environmental and process safety. The INSTAFLEX system meets all the essential requirements for building technology applications and is subject to constant monitoring by the licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas



- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex adapter FT 32-1"

1151835



Measurements

Female thread Rp	1
LENGTH_L	53
Z Measurement d	32
z1	8
Z2	8

Product code

Item no EAN	7611205907624
Item no GF	760857165
Item no GTIN	07611205907624

Dimensions

Item Unit Height	70
Item Unit Length	50
Item Unit Weight	0,27
Item Unit Width	70
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900063685
Packaging Height PL1	210
Packaging Length PL1	50
Packaging Quantity PL1	5
Packaging Type PL1	Plastic_Bag
Packaging Volume PL1	0,00147
Packaging Weight PL1	1,355
Packaging Width PL1	140

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212

E
customerservice.uk.bfs@georgfi
scher.com