


## GF Instaflex adapter FT 50-1 1/2"

1151837

- O-ring, EPDM



### About GF Instaflex adapter FT

#### Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

#### Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

##### Application areas


- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

#### Certification

- WRAS material approval (BS6920)

## GF Instaflex adapter FT 50-1 1/2"

1151837



### Measurements

Female thread Rp	1 1/2
LENGTH_L	61
Z Measurement d	50
z1	10
z2	7

### Product code

Item no EAN	7611205907648
Item no GF	760857167
Item no GTIN	07611205907648

### Dimensions

Item Unit Height	90
Item Unit Length	60
Item Unit Weight	0,7
Item Unit Width	90
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414900063708
Packaging Height PL1	180
Packaging Length PL1	70
Packaging Quantity PL1	2
Packaging Type PL1	Plastic_Bag
Packaging Volume PL1	0,001134
Packaging Weight PL1	1,41
Packaging Width PL1	90

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavillion  
WD18 8GA, Watford  
UK

T +44 (0)1923 381212

E  
customerservice.uk.bfs@georgfi  
scher.com