


GF Instaflex adapter FT 63-2"

1151838

- O-ring, EPDM



About GF Instaflex adapter FT

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas



- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex adapter FT 63-2"

1151838



Measurements

Female thread Rp	2
LENGTH_L	66
Z Measurement d	63
z1	10
Z2	9

Product code

Item no EAN	7611205907655
Item no GF	760857168
Item no GTIN	07611205907655

Dimensions

Item Unit Height	110
Item Unit Length	67
Item Unit Weight	0,95
Item Unit Width	105
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900063715
Packaging Height PL1	89
Packaging Length PL1	224
Packaging Quantity PL1	2
Packaging Type PL1	Plastic_Bag
Packaging Volume PL1	0,002232832
Packaging Weight PL1	1,907
Packaging Width PL1	112

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212

E
customerservice.uk.bfs@georgfi
scher.com