


GF Instaflex union long MT 32-1"

1151861

- Spigot for electro fusion and socket fusion - male thread
- O-ring, EPDM



About GF Instaflex union long MT

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas


- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex union long MT 32-1"

1151861



Product code

Item no EAN	7611205908430
Item no GF	760857203
Item no GTIN	07611205908430

Dimensions

Item Unit Height	124
Item Unit Length	64
Item Unit Weight	0,489
Item Unit Width	64
Item_UOM	pce

Measurements

LENGTH_L	50
Male_thread_R	1
Z Measurement d	64
Z Measurement h	78
Z Measurement h1	45
Z Measurement H	123

Packaging

Packaging GTIN PL1	06414900063753
Packaging Height PL1	82
Packaging Length PL1	125
Packaging Quantity PL1	1
Packaging Type PL1	Plastic_Bag
Packaging Volume PL1	0,00089175
Packaging Weight PL1	0,493
Packaging Width PL1	87

Status

Until stocks last Until stocks last

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212

E
customerservice.uk.bfs@georgfi
scher.com