


## GF Instaflex union Electro Fusion, FT 25-3/4"

**1151881**

- O-ring, EPDM
- PN16 at 20°C



### About GF Instaflex union Electro Fusion, FT

#### Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification for environmental and process safety. The INSTAFLEX system meets all the essential requirements for building technology applications and is subject to constant monitoring by the licensing offices for drinking water, heating and compressed air installations on land and sea.

#### Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

##### Application areas


- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

#### Certification

- WRAS material approval (BS6920)

## GF Instaflex union Electro Fusion, FT 25-3/4"

1151881



### Measurements

Female thread Rp	3/4
LENGTH_L	99
Z Measurement d	56
z1	33
Z2	9

### Product code

Item no EAN	7611205908638
Item no GF	760857223
Item no GTIN	07611205908638

### Dimensions

Item Unit Height	51
Item Unit Length	99
Item Unit Weight	0,298
Item Unit Width	51
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414900063944
Packaging Height PL1	74
Packaging Length PL1	148
Packaging Quantity PL1	1
Packaging Type PL1	Plastic_Bag
Packaging Volume PL1	0,00120472
Packaging Weight PL1	0,313
Packaging Width PL1	110

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavillion  
WD18 8GA, Watford  
UK

T +44 (0)1923 381212

E  
customerservice.uk.bfs@georgfi  
scher.com