

GF Instaflex union Electro Fusion, FT 32-1"

1151882

- O-ring, EPDM
- PN16 at 20°C



About GF Instaflex union Electro Fusion, FT

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification for environmental and process safety. The INSTAFLEX system meets all the essential requirements for building technology applications and is subject to constant monitoring by the licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex union Electro Fusion, FT 32-1"

1151882



Measurements

Female thread Rp	1
LENGTH_L	104
Z Measurement d	69
z1	37
Z2	8

Product code

Item no EAN	7611205908645
Item no GF	760857224
Item no GTIN	07611205908645

Dimensions

Item Unit Height	64
Item Unit Length	106
Item Unit Weight	0,425
Item Unit Width	64
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900063951
Packaging Height PL1	72
Packaging Length PL1	176
Packaging Quantity PL1	1
Packaging Type PL1	Plastic_Bag
Packaging Volume PL1	0,001064448
Packaging Weight PL1	0,441
Packaging Width PL1	84

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212

E
customerservice.uk.bfs@georgfi
scher.com