


GF Instaflex tee equal 90deg 125

1151905

- Material: Polybutene



About GF Instaflex tee equal 90deg

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex tee equal 90deg 125

1151905



Product code

Item no EAN	7611205889739
Item no GF	761065255
Item no GTIN	07611205889739
Item no LVI	2075268

Dimensions

Item Unit Height	136
Item Unit Length	370
Item Unit Weight	2,397
Item Unit Width	253
Item_UOM	pce

Measurements

LENGTH_L	93
Z	183

Packaging

Packaging GTIN PL1	06414900129473
Packaging GTIN PL2	06414900129480
Packaging GTIN PL4	06414900129497
Packaging Height PL1	140
Packaging Height PL2	299
Packaging Height PL4	1050
Packaging Length PL1	370
Packaging Length PL2	503
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	4
Packaging Quantity PL4	48
Packaging Type PL1	Plastic_Bag

Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,013209
Packaging Volume PL2	0,0601588
Packaging Volume PL4	1,008
Packaging Weight PL1	2,407
Packaging Weight PL2	9,728
Packaging Weight PL4	141,736
Packaging Width PL1	255
Packaging Width PL2	400
Packaging Width PL4	800

Technical documents

[Download documents here](#)

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb