



GF Instaflex elbow 45deg d125

1151911

- Material: Polybutene



About GF Instaflex elbow 45deg

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex elbow 45deg d125

1151911



Product code

Item no EAN	7611205889708
Item no GF	761065261
Item no GTIN	07611205889708
Item no LVI	2075270

Dimensions

Item Unit Height	135
Item Unit Length	310
Item Unit Weight	1,246
Item Unit Width	173
Item_UOM	pce

Measurements

LENGTH_L	92
Z	140

Packaging

Packaging GTIN PL1	06414900129565
Packaging GTIN PL2	06414900129572
Packaging GTIN PL4	06414900129589
Packaging Height PL1	135
Packaging Height PL2	300
Packaging Height PL4	1050
Packaging Length PL1	310
Packaging Length PL2	503
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	6
Packaging Quantity PL4	72
Packaging Type PL1	Plastic_Bag

Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00724005
Packaging Volume PL2	0,0606618
Packaging Volume PL4	1,008
Packaging Weight PL1	1,247
Packaging Weight PL2	8,391
Packaging Weight PL4	112
Packaging Width PL1	173
Packaging Width PL2	402
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb