

## GF Instaflex backing flange d20

1151920

- Material: Casting, GFK coated
- Suitable for flange adaptor
- Tighten the screws with torque as indicated
- Requires standard screws, nuts, washers
- \* on request



### About GF Instaflex backing flange

#### Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

#### Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

##### Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

#### Certification

- WRAS material approval (BS6920)

## GF Instaflex backing flange d20

1151920



### Product code

Item no EAN	7611205889937
Item no GF	761065270
Item no GTIN	07611205889937
Item no RSK	1874713

### Dimensions

Item Unit Height	23
Item Unit Length	105
Item Unit Weight	0,378
Item Unit Width	104
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414900064019
Packaging Height PL1	54
Packaging Length PL1	111
Packaging Quantity PL1	2
Packaging Type PL1	Plastic_Bag
Packaging Volume PL1	0,00065934
Packaging Weight PL1	0,76
Packaging Width PL1	110

### Measurements

Z Measurement d	106
Z Measurement d3	14
Z Measurement D1	65
Z Measurement D2	28
Z Measurement H	18

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavillion  
WD18 8GA, Watford  
UK

T +44 (0)1923 381212

E  
customerservice.uk.bfs@georgfi  
scher.com