


GF Multi backing flange d50

1151924

- Material: Casting, GFK coated
- Suitable for flange adaptor
- Tighten the screws with torque as indicated
- Requires standard screws, nuts, washers
- * on request



About GF Multi backing flange

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Multi backing flange d50

1151924



Product code

Item no EAN	7611205889975
Item no GF	761065274
Item no GTIN	07611205889975
Item no RSK	1874717

Dimensions

Item Unit Height	23
Item Unit Length	156
Item Unit Weight	0,747
Item Unit Width	155
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900064057
Packaging Height PL1	72
Packaging Length PL1	158
Packaging Quantity PL1	2
Packaging Type PL1	Plastic_Bag
Packaging Volume PL1	0,001797408
Packaging Weight PL1	1,552
Packaging Width PL1	158

Measurements

Z Measurement d	156
Z Measurement d3	18
Z Measurement D1	110
Z Measurement D2	62
Z Measurement H	19

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212

E
customerservice.uk.bfs@georgfi
scher.com