



GF Instaflex pipe clamp d16

1152012

- For iFIT, INSTAFLEX, JRG Sanipex, JRG Sanipex MT



About GF Instaflex pipe clamp

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas


- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex pipe clamp d16

1152012



Status

Item Available From date

2025-10-01

Product code

Item no EAN 7611205822811

Item no GF 761066296

Item no GTIN 07611205822811

Item no LVI 2075360

Item no RSK 1874972

Dimensions

Item Unit Height 28

Item Unit Length 48

Item Unit Weight 0,039

Item Unit Width 33

Item_UOM pce

Packaging

Packaging GTIN PL1 06414900064309

Packaging Height PL1 72

Packaging Length PL1 265

Packaging Quantity PL1 50

Packaging Type PL1 Base_Box

Packaging Volume PL1 0,00383508

Packaging Weight PL1 2,04

Packaging Width PL1 201

Measurements

Z measurement m 8

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212

E
customerservice.uk.bfs@georgfi
scher.com