


GF Instaflex pipe clamp d16

1152012

- For iFIT, INSTAFLEX, JRG Sanipex, JRG Sanipex MT



About GF Instaflex pipe clamp

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas


- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex pipe clamp d16

1152012



Status

Item Available From date

2025-10-01

Product code

| | |
|--------------|----------------|
| Item no EAN | 7611205822811 |
| Item no GF | 761066296 |
| Item no GTIN | 07611205822811 |
| Item no LVI | 2075360 |
| Item no RSK | 1874972 |

Dimensions

| | |
|------------------|-------|
| Item Unit Height | 28 |
| Item Unit Length | 48 |
| Item Unit Weight | 0,039 |
| Item Unit Width | 33 |
| Item_UOM | pce |

Packaging

| | |
|------------------------|----------------|
| Packaging GTIN PL1 | 06414900064309 |
| Packaging Height PL1 | 72 |
| Packaging Length PL1 | 265 |
| Packaging Quantity PL1 | 50 |
| Packaging Type PL1 | Base_Box |
| Packaging Volume PL1 | 0,00383508 |
| Packaging Weight PL1 | 2,04 |
| Packaging Width PL1 | 201 |

Measurements

| | |
|-----------------|---|
| Z measurement m | 8 |
|-----------------|---|

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb