


GF Instaflex pipe clamp d20

1152013

- For iFIT, INSTAFLEX, JRG Sanipex, JRG Sanipex MT



About GF Instaflex pipe clamp

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas


- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex pipe clamp d20

1152013



Status

Item Available From date

2025-10-01

Product code

Item no EAN 7611205818487

Item no GF 761066297

Item no GTIN 07611205818487

Item no LVI 2075361

Item no RSK 1874973

Dimensions

Item Unit Height 26

Item Unit Length 52

Item Unit Weight 0,045

Item Unit Width 44

Item_UOM pce

Packaging

Packaging GTIN PL1 06414900064316

Packaging Height PL1 105

Packaging Length PL1 264

Packaging Quantity PL1 50

Packaging Type PL1 Base_Box

Packaging Volume PL1 0,00557172

Packaging Weight PL1 2,457

Packaging Width PL1 201

Measurements

Z measurement m 8

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212

E
customerservice.uk.bfs@georgfi
scher.com