



GF Instaflex pipe clamp d25

1152014

- For iFIT, INSTAFLEX, JRG Sanipex, JRG Sanipex MT



About GF Instaflex pipe clamp

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas


- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex pipe clamp d25

1152014



Status

Item Available From date

2025-10-01

Product code

Item no EAN	7611205818494
Item no GF	761066298
Item no GTIN	07611205818494
Item no LVI	2075362
Item no RSK	1874974

Dimensions

Item Unit Height	26
Item Unit Length	59
Item Unit Weight	0,053
Item Unit Width	49
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900064323
Packaging Height PL1	107
Packaging Length PL1	266
Packaging Quantity PL1	50
Packaging Type PL1	Base_Box
Packaging Volume PL1	0,005806248
Packaging Weight PL1	2,752
Packaging Width PL1	204

Measurements

Z measurement m	8
-----------------	---

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb