



## GF Instaflex elbow 90deg Socket Fusion d16

1152055

- Made of Polybuten



### About GF Instaflex elbow 90deg Socket Fusion

#### Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

#### Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

##### Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

#### Certification

- WRAS material approval (BS6920)

## GF Instaflex elbow 90deg Socket Fusion d16

1152055



### Product code

Item no EAN	7611205818609
Item no GF	761066600
Item no GTIN	07611205818609
Item no RSK	1874787

### Dimensions

Item Unit Height	23
Item Unit Length	50
Item Unit Weight	0,014
Item Unit Width	35
Item_UOM	pce

### Measurements

LENGTH_L	25
Z	10

### Packaging

Packaging GTIN PL1	06414900133524
Packaging GTIN PL4	06414900133531
Packaging Height PL1	50
Packaging Height PL4	800
Packaging Length PL1	115
Packaging Length PL4	1200
Packaging Quantity PL1	10
Packaging Quantity PL4	9600
Packaging Type PL1	Plastic_Bag
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0006325
Packaging Volume PL4	0,768
Packaging Weight PL1	0,15

Packaging Weight PL4	165,6
Packaging Width PL1	110
Packaging Width PL4	800

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)