


GF Instaflex elbow 90° Socket Fusion d16

1152055

- Made of Polybuten



About GF Instaflex elbow 90° Socket Fusion

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex elbow 90° Socket Fusion d16

1152055



Product code

Item no EAN	7611205818609
Item no GF	761066600
Item no GTIN	07611205818609
Item no RSK	1874787

Dimensions

Item Unit Height	23
Item Unit Length	50
Item Unit Weight	0,014
Item Unit Width	35
Item_UOM	pce

Measurements

LENGTH_L	25
Z Measurement d	22
Z	10

Packaging

Packaging GTIN PL1	06414900133524
Packaging GTIN PL4	06414900133531
Packaging Height PL1	50
Packaging Height PL4	800
Packaging Length PL1	115
Packaging Length PL4	1200
Packaging Quantity PL1	10
Packaging Quantity PL4	9600
Packaging Type PL1	Plastic_Bag
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0006325
Packaging Volume PL4	0,768

Packaging Weight PL1	0,15
Packaging Weight PL4	165,6
Packaging Width PL1	110
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212

E
customerservice.uk.bfs@georgfi
scher.com