


## GF Instaflex elbow 90° Socket Fusion d32

**1152058**

- Made of Polybuten



### About GF Instaflex elbow 90° Socket Fusion

#### Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

#### Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

##### Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

#### Certification

- WRAS material approval (BS6920)

## GF Instaflex elbow 90° Socket Fusion d32

1152058



### Product code

Item no EAN	7611205818623
Item no GF	761066603
Item no GTIN	07611205818623
Item no LVI	2075366
Item no RSK	1874790

### Dimensions

Item Unit Height	40
Item Unit Length	56
Item Unit Weight	0,035
Item Unit Width	56
Item_UOM	pce

### Measurements

LENGTH_L	38
Z Measurement d	40
Z	18

### Packaging

Packaging GTIN PL1	06414900133487
Packaging GTIN PL4	06414900133494
Packaging Height PL1	50
Packaging Height PL4	440
Packaging Length PL1	220
Packaging Length PL4	1200
Packaging Quantity PL1	10
Packaging Quantity PL4	2100
Packaging Type PL1	Plastic_Bag
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00198

Packaging Volume PL4	0,4224
Packaging Weight PL1	0,355
Packaging Weight PL4	76
Packaging Width PL1	180
Packaging Width PL4	800

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavillion  
WD18 8GA, Watford  
UK

T +44 (0)1923 381212  
E  
customerservice.uk.bfs@georgfi  
scher.com