


GF Instaflex elbow 90deg Socket Fusion d40

1152059

- Made of Polybuten



About GF Instaflex elbow 90deg Socket Fusion

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas



- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex elbow 90deg Socket Fusion d40

1152059



Product code

Item no EAN	7611205837495
Item no GF	761066604
Item no GTIN	07611205837495
Item no LVI	2075367
Item no RSK	1874791

Dimensions

Item Unit Height	69
Item Unit Length	69
Item Unit Weight	0,08
Item Unit Width	51
Item_UOM	pce

Measurements

LENGTH_L	44
Z	22

Packaging

Packaging GTIN PL1	06414900132268
Packaging GTIN PL4	06414900132275
Packaging Height PL1	82
Packaging Height PL4	950
Packaging Length PL1	197
Packaging Length PL4	1200
Packaging Quantity PL1	5
Packaging Quantity PL4	1800
Packaging Type PL1	Plastic_Bag
Packaging Type PL4	Pallet
Packaging Volume PL1	0,002310022
Packaging Volume PL4	0,912

Packaging Weight PL1	0,5
Packaging Weight PL4	163,2
Packaging Width PL1	143
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb