



## GF Instaflex elbow 90° Socket Fusion d50

1152060

- Made of Polybuten



### About GF Instaflex elbow 90° Socket Fusion

#### Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

#### Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

##### Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

#### Certification

- WRAS material approval (BS6920)

## GF Instaflex elbow 90° Socket Fusion d50

1152060



### Product code

Item no EAN	7611205822903
Item no GF	761066605
Item no GTIN	07611205822903
Item no RSK	1874792

### Dimensions

Item Unit Height	115
Item Unit Length	85
Item Unit Weight	0,116
Item Unit Width	65
Item_UOM	pce

### Measurements

LENGTH_L	51
Z Measurement d	64
Z	26

### Packaging

Packaging GTIN PL1	06414900132725
Packaging GTIN PL4	06414900132732
Packaging Height PL1	345
Packaging Height PL4	950
Packaging Length PL1	85
Packaging Length PL4	1200
Packaging Quantity PL1	5
Packaging Quantity PL4	1200
Packaging Type PL1	Plastic_Bag
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00381225
Packaging Volume PL4	0,912

Packaging Weight PL1	0,59
Packaging Weight PL4	153,6
Packaging Width PL1	130
Packaging Width PL4	800

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavillion  
WD18 8GA, Watford  
UK

T +44 (0)1923 381212  
E  
customerservice.uk.bfs@georgfi  
scher.com