


GF Instaflex elbow 90° Socket Fusion d63

1152061

- Made of Polybuten



About GF Instaflex elbow 90° Socket Fusion

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex elbow 90° Socket Fusion d63

1152061



Product code

Item no EAN	7611205818630
Item no GF	761066606
Item no GTIN	07611205818630
Item no RSK	1874793

Dimensions

Item Unit Height	100
Item Unit Length	100
Item Unit Weight	0,217
Item Unit Width	80
Item_UOM	pce

Measurements

LENGTH_L	62
Z Measurement d	81
Z	34

Packaging

Packaging GTIN PL1	06414900133463
Packaging GTIN PL4	06414900133470
Packaging Height PL1	110
Packaging Height PL4	940
Packaging Length PL1	250
Packaging Length PL4	1200
Packaging Quantity PL1	2
Packaging Quantity PL4	672
Packaging Type PL1	Plastic_Bag
Packaging Type PL4	Pallet
Packaging Volume PL1	0,006875
Packaging Volume PL4	0,9024

Packaging Weight PL1	0,45
Packaging Weight PL4	150,2
Packaging Width PL1	250
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212

E
customerservice.uk.bfs@georgfi
scher.com