



## GF Instaflex elbow 45° Socket Fusion d32

**1152068**

- Made of Polybuten



### About GF Instaflex elbow 45° Socket Fusion

#### Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

#### Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

##### Application areas


- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

#### Certification

- WRAS material approval (BS6920)

## GF Instaflex elbow 45° Socket Fusion d32

1152068



### Product code

Item no EAN	7611205822934
Item no GF	761066613
Item no GTIN	07611205822934
Item no LVI	2075368
Item no RSK	1874814

### Dimensions

Item Unit Height	41
Item Unit Length	65
Item Unit Weight	0,03
Item Unit Width	54
Item_UOM	pce

### Measurements

LENGTH_L	30
Z Measurement d	40
Z	10

### Packaging

Packaging GTIN PL1	06414900132688
Packaging GTIN PL4	06414900132695
Packaging Height PL1	87
Packaging Height PL4	800
Packaging Length PL1	195
Packaging Length PL4	1200
Packaging Quantity PL1	10
Packaging Quantity PL4	3600
Packaging Type PL1	Plastic_Bag
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00251082

Packaging Volume PL4	0,768
Packaging Weight PL1	0,305
Packaging Weight PL4	150
Packaging Width PL1	148
Packaging Width PL4	800

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavillion  
WD18 8GA, Watford  
UK

T +44 (0)1923 381212  
E  
customerservice.uk.bfs@georgfi  
scher.com