



GF Instaflex elbow 45° Socket Fusion d40

1152069

- Made of Polybuten



About GF Instaflex elbow 45° Socket Fusion

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas


- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex elbow 45° Socket Fusion d40

1152069



Product code

Item no EAN	7611205818685
Item no GF	761066614
Item no GTIN	07611205818685
Item no RSK	1874815

Dimensions

Item Unit Height	51
Item Unit Length	81
Item Unit Weight	0,064
Item Unit Width	59
Item_UOM	pce

Measurements

LENGTH_L	34
Z Measurement d	51
Z	12

Packaging

Packaging GTIN PL1	06414900133401
Packaging GTIN PL4	06414900133418
Packaging Height PL1	82
Packaging Height PL4	950
Packaging Length PL1	162
Packaging Length PL4	1200
Packaging Quantity PL1	5
Packaging Quantity PL4	2160
Packaging Type PL1	Plastic_Bag
Packaging Type PL4	Pallet
Packaging Volume PL1	0,002165292
Packaging Volume PL4	0,912

Packaging Weight PL1	0,325
Packaging Weight PL4	165
Packaging Width PL1	163
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E
customerservice.uk.bfs@georgfi
scher.com