

## GF Instaflex tee equal 90deg 16

1152075

- Material: Polybutene



### About GF Instaflex tee equal 90deg

#### Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

#### Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

##### Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

#### Certification

- WRAS material approval (BS6920)

## GF Instaflex tee equal 90deg 16

1152075



### Product code

Item no EAN	7611205818722
Item no GF	761066620
Item no GTIN	07611205818722
Item no RSK	1874821

### Dimensions

Item Unit Height	20
Item Unit Length	50
Item Unit Weight	0,017
Item Unit Width	40
Item_UOM	pce

### Measurements

LENGTH_L	25
Z	10

### Packaging

Packaging GTIN PL1	06414900133364
Packaging GTIN PL4	06414900133371
Packaging Height PL1	22
Packaging Height PL4	950
Packaging Length PL1	60
Packaging Length PL4	1200
Packaging Quantity PL1	10
Packaging Quantity PL4	9600
Packaging Type PL1	Plastic_Bag
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000264
Packaging Volume PL4	0,912
Packaging Weight PL1	0,18

Packaging Weight PL4	200
Packaging Width PL1	200
Packaging Width PL4	800

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)