


GF Instaflex tee equal 90° 20

1152076

- Material: Polybutene



About GF Instaflex tee equal 90°

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas


- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex tee equal 90° 20

1152076



Product code

Item no EAN	7611205818739
Item no GF	761066621
Item no GTIN	07611205818739
Item no RSK	1874822

Dimensions

Item Unit Height	28
Item Unit Length	55
Item Unit Weight	0,025
Item Unit Width	43
Item_UOM	pce

Measurements

LENGTH_L	28
Z Measurement d	26
Z	13

Packaging

Packaging GTIN PL1	06414900133340
Packaging GTIN PL4	06414900133357
Packaging Height PL1	55
Packaging Height PL4	950
Packaging Length PL1	170
Packaging Length PL4	1200
Packaging Quantity PL1	10
Packaging Quantity PL4	7200
Packaging Type PL1	Plastic_Bag
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0012155
Packaging Volume PL4	0,912

Packaging Weight PL1	0,255
Packaging Weight PL4	207
Packaging Width PL1	130
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E
customerservice.uk.bfs@georgfi
scher.com