



GF Instaflex tee equal 90deg 25

1152077

- Material: Polybutene



About GF Instaflex tee equal 90deg

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex tee equal 90deg 25

1152077



Product code

Item no EAN	7611205822965
Item no GF	761066622
Item no GTIN	07611205822965
Item no RSK	1874823

Dimensions

Item Unit Height	33
Item Unit Length	63
Item Unit Weight	0,036
Item Unit Width	48
Item_UOM	pce

Measurements

LENGTH_L	32
Z	14

Packaging

Packaging GTIN PL1	06414900132640
Packaging GTIN PL4	06414900132657
Packaging Height PL1	70
Packaging Height PL4	950
Packaging Length PL1	160
Packaging Length PL4	1200
Packaging Quantity PL1	10
Packaging Quantity PL4	4800
Packaging Type PL1	Plastic_Bag
Packaging Type PL4	Pallet
Packaging Volume PL1	0,001456
Packaging Volume PL4	0,912
Packaging Weight PL1	0,365

Packaging Weight PL4	192
Packaging Width PL1	130
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb