



## GF Instaflex tee equal 90deg 40

1152079

- Material: Polybutene



### About GF Instaflex tee equal 90deg

#### Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

#### Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

##### Application areas


- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

#### Certification

- WRAS material approval (BS6920)

## GF Instaflex tee equal 90deg 40

1152079



### Product code

Item no EAN	7611205837501
Item no GF	761066624
Item no GTIN	07611205837501
Item no RSK	1874825

### Dimensions

Item Unit Height	51
Item Unit Length	90
Item Unit Weight	0,105
Item Unit Width	69
Item_UOM	pce

### Measurements

LENGTH_L	44
Z	22

### Packaging

Packaging GTIN PL1	06414900132244
Packaging GTIN PL4	06414900132251
Packaging Height PL1	72
Packaging Height PL4	950
Packaging Length PL1	266
Packaging Length PL4	1200
Packaging Quantity PL1	5
Packaging Quantity PL4	1200
Packaging Type PL1	Plastic_Bag
Packaging Type PL4	Pallet
Packaging Volume PL1	0,003121776
Packaging Volume PL4	0,912
Packaging Weight PL1	0,53

Packaging Weight PL4	150
Packaging Width PL1	163
Packaging Width PL4	800

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)