


GF Instaflex tee equal 90deg 50

1152080

- Material: Polybutene



About GF Instaflex tee equal 90deg

Specification

- The system is subject to constant inspection by internal and external bodies.
- These inspections range from quality assurance during production to ISO certification
- for environmental and process safety. The INSTAFLEX system meets all the essential
- requirements for building technology applications and is subject to constant monitoring by the
- licensing offices for drinking water, heating and compressed air installations on land and sea.

Application

Instaflex offers complete solutions for single-family homes, multi-family residential buildings, healthcare, education, industrial, or commercial building

Application areas

- hot & cold water, compressed air, cooling systems
- Surface and flush-mounted pipelines

Certification

- WRAS material approval (BS6920)

GF Instaflex tee equal 90deg 50

1152080



Product code

Item no EAN	7611205818753
Item no GF	761066625
Item no GTIN	07611205818753
Item no RSK	1874826

Dimensions

Item Unit Height	65
Item Unit Length	102
Item Unit Weight	0,147
Item Unit Width	85
Item_UOM	pce

Measurements

LENGTH_L	51
Z	26

Packaging

Packaging GTIN PL1	06414900133326
Packaging GTIN PL4	06414900133333
Packaging Height PL1	85
Packaging Height PL4	950
Packaging Length PL1	335
Packaging Length PL4	1200
Packaging Quantity PL1	5
Packaging Quantity PL4	720
Packaging Type PL1	Plastic_Bag
Packaging Type PL4	Pallet
Packaging Volume PL1	0,004983125
Packaging Volume PL4	0,912
Packaging Weight PL1	0,74

Packaging Weight PL4	131
Packaging Width PL1	175
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb